

## Thermal Analysis of Piezoelectric Benders with Laminated Power Electronics

Andrew J. Fleming<sup>1</sup> and Yuen Kuan Yong<sup>1</sup>

**Abstract**—This article explores the possibility of piezoelectric actuators with integrated high voltage power electronics. Such devices dramatically simplify the application of piezoelectric actuators since the power electronics are already optimized for the voltage range, capacitance, and power dissipation of the actuator. The foremost consideration is the thermal impedance of the actuator and heat dissipation. Analytical and finite-element methods are described for predicting the thermal impedance of a piezoelectric bender.

### I. INTRODUCTION

Piezoelectric transducers have become ubiquitous in applications requiring precision motion and force control. For example, positioning systems [1]–[4], micro-motors [5]–[8], machine tools [9], pumps [10], surgical tools [11], fuel injectors [12], scanning probe microscopes (SPMs) [13]–[16], and vibration control systems [17], [18].

In addition to the high resolution [19], piezoelectric actuators are also desirable for their low mass, dimensions, and zero static power consumption. However, these benefits may be negated by the requirement for an external high-voltage amplifier, power supply, sensors, and a feedback loop. In some applications, feed-forward control can alleviate the need for sensors and a feedback loop [20]–[22], however the driving electronics are still required.

The requirement for an external high voltage amplifier has significantly limited the feasibility of miniaturized piezoelectric systems. For example, a piezoelectric microgripper still requires bulky support electronics even though the device itself is only 23 mm in width [23]. This also necessitates the need for high-voltage wiring between the driver and actuator. Piezoelectric bender actuators have also shown promise in micro-robotic applications. In reference [24], an energy recovery circuit was designed to reduce the size of the drive electronics so that they could be mounted on-board the robot. Bimorph actuators have also been used for piezoelectric motors with nanometer resolution [25].

In sensing applications, the conditioning electronics are routinely integrated with the transducer to avoid interference from high-impedance wiring. For example, accelerometers are produced with an integrated FET amplifier [26]. However, it is not trivial to apply such techniques for actuation since drive electronics are significantly more complicated, require inductive components, and may also dissipate heat.

This work was supported by the Australian Research Council Discovery Project DP0986319 and the DECRA Project DE130100879.

<sup>1</sup>The authors are with the School of Electrical Engineering and Computer Science, The University of Newcastle, Callaghan 2308, NSW, Australia. Email: andrew.fleming@newcastle.edu.au, yuenkuan.yong@newcastle.edu.au

This work investigates the feasibility of integrating driver electronics and a piezoelectric bimorph actuator. Due to the recent availability of high-voltage integrated circuits, it is now feasible to construct a complete high-voltage power supply and amplifier in an area smaller than 7 mm<sup>2</sup>. The driver can then be thermally attached to the actuator for heat dissipation. This technique is demonstrated in Section II.

The required power dissipation is derived in Section III which defines the required thermal impedance of the actuator from the mounting location to the ambient environment. Analytical and finite-element techniques are applied to estimate the thermal impedance of the actuator in Section IV. The actuator is found to be capable of easily dissipating the required power with negligible erroneous deflection due to thermal expansion.

By integrating the power electronics and actuator, the electrical design process is effectively eliminated. This dramatically reduces the cost and complexity of installing piezoelectric actuators in industrial and automotive applications where there may be a restriction on the maximum wiring voltage. The new level of miniaturization also creates new possibilities for autonomous piezoelectric walking and flying robots with independent control over each actuator. For example, a six-legged robot could be designed with independent control over each limb from a single 3.7 V battery cell.

### II. EXAMPLE BIMORPH ACTUATOR WITH INTEGRATED DRIVER

#### A. Actuator

The actuator is a two-layer brass reinforced bimorph bender from Piezosystems Inc. (Q220-A4-503YB). Both of the piezoelectric layers are poled in the same direction and driven electrically in parallel, i.e. the top and bottom surfaces are grounded and the internal layer is driven. The bender is fixed onto a mounting base as shown in Fig. 1. The properties of interest are listed in Table I.

#### B. Power Electronics

The power electronic module is a PiezoDrive PDU100 driver [27] illustrated in Fig. 2. The power supply is a closed-loop boost converter that produces 105 V from a 3 V to 5.5 V supply. The supply voltage is compatible with a single Lithium Ion or Polymer battery cell. To obtain a bipolar output voltage, the load is driven by two linear amplifiers with opposite gain, effectively doubling the output voltage range to  $\pm 100$  V.




Fig. 1. Piezoelectric bimorph actuator with thermally attached power electronics.

TABLE I  
PROPERTIES OF THE PIEZO SYSTEMS Q220-A4-503YB BENDER  
ACTUATOR.

Dimensions	63.5 x 31.8 x 0.51 mm
Piezo Material	5A4E
Curie Temperature	350 °C
Voltage	±90 V
Mounted Deflection	±1.26 mm
Mounted Stiffness	245 N/m
Mounted Blocking Force	0.31 N
Mounted Resonance Freq.	68 Hz
Capacitance	260 nF

The circuit and support electronics are mounted on a thermally conductive PCB with an area of 12 mm<sup>2</sup>. Approximately half the area is used for connecting pads so the size could be reduced to less than 7 mm<sup>2</sup> if necessary. These dimensions are compatible with many of bender geometries.

The module is bonded to the actuator using an adhesive thermally conductive insulator (T-Global LI-98-150-025). This material is a soft elastomer which effectively decouples the strain of the actuator from the high-stiffness of the PCB. Three layers of 0.25 mm thickness were used for a total thickness of 0.75 mm.

The connection diagram for the electronics and actuator is shown in Fig. 3. An input signal of ±1.65 V with an offset of 2.5 V produces a ±90 V output signal which is the full range of the actuator.

### III. ELECTRICAL CONSIDERATIONS

For the purposes of estimating electronic power dissipation at frequencies below the first resonance, a piezoelectric actuator can be adequately modeled as a capacitor as shown in Fig. 4(a) [28]. It should be noted that soft piezoceramics, such as PZT-5H, exhibit significant hysteresis that can effectively double the small-signal capacitance when driven at full range.

The power dissipation of the grounded amplifier in Fig. 4(a) can be found by summing the power supplied by




Fig. 2. Power electronics functionality [27].




Fig. 3. Connection diagram of the power electronics and actuator.

the positive and negative supplies,

$$P_d = V^+ I_{av}^+ + V^- I_{av}^- \quad (1)$$

For a capacitive load  $I_{av}^+ = -I_{av}^-$ , therefore

$$P_d = (V^+ - V^-) I_{av} \quad (2)$$

With a sinusoidal excitation, the peak load current is

$$I_{L(pk)} = \pi V_{L(p-p)} f C_p \quad (3)$$

The average current is therefore

$$I_{av} = \frac{1}{2\pi} \int_0^\pi I_{L(pk)} \sin(\theta) d\theta = \frac{I_{L(pk)}}{\pi} \quad (4)$$

Thus, the power dissipation is

$$P_d = (V^+ - V^-) V_{L(p-p)} C_p f \quad (5)$$

The driver described in Section II-B operates in the bridged configuration as shown in Fig. 4(b). To achieve the same load voltage as the grounded circuit, the bridged configuration requires only half the supply voltage. However, since the average load current is identical and there are two amplifiers, the total power dissipation of the bridged configuration is identical to the grounded circuit.

In addition to the power dissipated by the amplifiers, the finite efficiency of the boost converter must also be




Fig. 4. Electrical model of a piezoelectric actuator driven in the grounded configuration (a), and the equivalent bridged configuration (b).

considered. If the converter efficiency is  $\eta$ , the total power dissipation becomes

$$P_d = \frac{1}{\eta} (V^+ - V^-) V_{L(p-p)} C_p f. \quad (6)$$

For the bridged driver described in Section II-B,  $V^+/2 = 105$  V,  $V^- = 0$  V, and the efficiency is approximately  $\eta = 0.75$ . Therefore, the power dissipation is

$$P_d = \frac{210 \text{ V} \times 520 \text{ nF}}{0.75} V_{L(p-p)} f. \quad (7)$$

With the full-scale  $\pm 90$  V load voltage, the power dissipation is 26 mW/Hz. Thus, if the actuator is operated near the resonance frequency at 60 Hz, the maximum power dissipation is approximately 1.5 W.

#### IV. THERMAL DISSIPATION

As discussed above, the power electronic module may dissipate up to 1.5 W. The thermal impedance of the mounting location must be low enough to ensure that the junction temperature does not exceed  $150^\circ\text{C}$ . To investigate the thermal dissipation of the bender, the thermal impedance is calculated analytically in this section. This result is compared to an ANSYS finite-element (FE) simulation and experimental results. The thermally induced deflection and extension of the bender is also studied by finite-element analysis.

##### A. Analytical Estimation

To estimate the thermal impedance, the temperature distribution of the bender is first calculated. The bimorph bender is thermally modeled as a fin. The Biot number ( $\text{Bi} = h_c t / 2k_a$ ) of the bender is estimated to be  $< 0.1$ , where  $h_c$  is the natural convection coefficient,  $t$  is the thickness and  $k_a$  is the average thermal conductivity of the bender.  $\text{Bi} < 0.1$  shows that the bender has a uniform temperature along its thickness direction where temperature at the center will not differ from that of the surface by more than 5% [29]. Therefore, the temperature distribution along the thickness direction can be ignored, and only the temperature distribution along the longitudinal dimension is considered. As a result, the bender is modeled as one-dimensional fin.

As shown in Fig. 5, the bimorph is a cantilever beam with the fixed-end heated by the integrated power electronics. The maximum power is assumed to be  $Q = 1.65$  W.  $T_a$  is the ambient temperature,  $L$  is the length,  $w$  is the width and  $x$  is the distance along the length of the bender. The heat flow to the base is neglected since the insulator has a high thermal impedance. The temperature distribution profile of the bender along the  $x$  direction can be found by solving the following differential equation [29], [30],

$$\frac{d^2 T}{dx^2} - \beta^2 [T(x) - T_a] = 0, \quad (8)$$

where  $\beta^2 = 2h_c / (2k_1 t_1 + k_2 t_2)$ ,  $k_1$  and  $t_1$  are the thermal conductivity and thickness of the piezoelectric layer respectively,  $k_2$  and  $t_2$  are the thermal conductivity and thickness of the brass layer respectively. Since  $\beta$  is a constant, Eq. (8) has the solution

$$T(x) - T_a = C_1 e^{-\beta x} + C_2 e^{\beta x}. \quad (9)$$

Assuming the thermal heating occurs at  $x = 0$ , we have a boundary condition

$$\begin{aligned} -(2k_1 A_1 + k_2 A_2) \frac{dT(0)}{dx} &= Q, \\ -w(2k_1 t_1 + k_2 t_2) \frac{dT(0)}{dx} &= Q, \\ \frac{dT(0)}{dx} &= \frac{-Q}{w(2k_1 t_1 + k_2 t_2)}. \end{aligned} \quad (10)$$

where  $A_1$  and  $A_2$  are the cross-sectional area of the piezoelectric and brass layer respectively. Differentiating Eq. (9), and equate it to Eq. (10), we have

$$C_2 = C_1 - \frac{Q}{\beta w (2k_1 t_1 + k_2 t_2)}. \quad (11)$$

Substituting Eq. (11) into Eq. (9), and by assuming that at  $x = L$ ,  $T(L) = T_a$ , we have

$$C_1 = \frac{Q e^{2\beta L}}{\beta w (2k_1 t_1 + k_2 t_2) (1 + e^{2\beta L})}. \quad (12)$$

Substituting Eq. (12) into Eq. (11), we have

$$C_2 = \frac{-Q}{\beta w (2k_2 t_1 + k_2 t_2) (1 + e^{2\beta L})}. \quad (13)$$

Eqs. (12) and (13) can be simplified to

$$C_1 = \frac{Q e^{\beta L}}{2\beta w (2k_1 t_1 + k_2 t_2) \cosh(\beta L)}, \quad (14)$$

$$C_2 = \frac{-Q e^{-\beta L}}{2\beta w (2k_1 t_1 + k_2 t_2) \cosh(\beta L)}. \quad (15)$$

Substituting Eqs. (14) and (15) into (9), the temperature distribution along the length direction of the bender is expressed as

$$T(x) - T_a = \frac{\sinh[\beta(L-x)]}{\cosh(\beta L)} \frac{Q}{\beta w (2k_1 t_1 + k_2 t_2)} \quad (16)$$




Fig. 5. A cantilever beam model with the fixed-end heated.

TABLE II  
DIMENSIONS AND PROPERTIES OF THE BENDER.

$L$	$w$	$t_1$	$t_2$	$k_1$	$k_2$
mm	mm	mm	mm	W/mK	W/mK
63.5	31.8	0.2	0.1016	1.25	115

The dimensions and thermal properties of the bender are listed in Table II. The heat flow applied to the fixed-end is  $Q = 1.65$  W and the ambient temperature is  $T_a = 295$  K. With a convection coefficient of  $h_c = 28$  W/m<sup>2</sup>K the predicted temperature at the fixed-end is 84.8 °C. The temperature distribution along  $x$  is plotted in Fig. 6. At  $x = L$ , both the FE simulated and analytical temperature results approach  $T_a$ , which justify the assumption made in Eqs. (12) and (13). The analytical temperature profile differs slightly from the FE result due to the one-dimensional analytical model and the chosen boundary condition where input power was applied at  $x = 0$ . The FE model is a three-dimensional model where input power was applied on a 12 mm<sup>2</sup> area. It is possible to extend the analytical model to multi-dimensional. However, given the approximate nature of the model, the extension is not deemed justified.

Based on the temperature difference, the thermal impedance of the bender from the applied heat source to ambient is estimated by  $Z = [T(0) - T_a]/Q = 38$  K/W. This result shows that the piezoelectric bender can be used to dissipate two to three Watts of heat, depending on the ambient temperature.

When there is a high power dissipation, the actuator will also be moving quickly which is advantageous since this promotes air flow and better cooling. This is particularly true of actuators with large lateral motions such as benders.

### B. Finite-element-analysis of the Piezoelectric Bender

A FE model of the bender was constructed in ANSYS Workbench to simulate the temperature distribution and deflection of the bender. A heat source was applied at three different locations: the fixed-end, the center, and the free-end of the bender.

Steady-state thermal analysis was first conducted on the piezoelectric bender to simulate the temperature distribution. The piezoelectric and brass layers were modeled using SOLID90 elements. This element has 20 nodes with a single




Fig. 6. Temperature distribution profile  $T(x)$  of the bender.

degree-of-freedom (DOF), that is temperature, at each node. The thermal properties of the piezoelectric and brass layers are listed in Table II. The resulting temperature profiles are plotted in Fig. 7.

After finding the temperature profile, the results were imported into the static structural analysis. In this analysis system, the piezoelectric and brass layers were modeled using SOLID186 elements. This element has 20 nodes with three DOFs per node: translation in the nodal  $x$ ,  $y$  and  $z$  directions. The FE-simulated temperature profiles and deflections due to temperature variations are plotted in Fig. 7.

Fig. 7 shows that the maximum and minimum temperatures of the bender are very similar for all three heat source locations. The estimated thermal impedances are 32.8 K/W, 32.5 K/W and 32.2 K/W respectively for the heated fixed-end, middle and free-end of the bender. These estimated thermal impedances are in close agreement with that of the analytical value.

The simulated maximum deflection is approximately 2  $\mu$ m along the length of the bender for all three cases. Deflections along the bending direction are two orders of magnitude smaller than that of the longitudinal direction. It can be concluded that the unwanted deflections due to heating can be neglected. Since the thermal dissipation and deflection of the bender are not affected by the locations of the heat source, the power electronics can be located at the fixed-end of the bender which is a convenient choice.

## V. CONCLUSIONS

This article describes a piezoelectric bender with integrated high-voltage power electronics. Although the power electronics require heat dissipation, the high thermal conductivity of the piezoelectric ceramic is found to provide effective heat sinking.

The power electronics for an example bimorph actuator required 26 mW/Hz of power dissipation. Since the thermal impedance of the actuator was found to be 32 K/W, the temperature of the electronics and actuator will remain in the safe region, even when driving the actuator at full-range




Fig. 7. FE-simulated temperature profiles in degree Celsius (left column) and the corresponding deflections in meters (right column) of the bender. Note that the deflection results are along the bending direction of the bender. Heat source was applied at the (Top) fixed-end, (Center) middle, and (Bottom) free-end of the bender.

near the resonance frequency. The bending error caused by thermal expansion is negligible due to the almost uniform temperature distribution through the thickness of the bender.

With integrated electronics, only three wires are required for the actuator: +5V, ground, and the input signal. This dramatically simplifies the application of piezoelectric actuators and eliminates the need for high-voltage wiring and power supplies. Applications include autonomous piezoelectric robotics, industrial actuators, micro-pumps, positioning systems, and vibration control.

Future work includes verifying the simulations with experimental thermal analysis and imaging. New bender constructions are also under investigation that optimize the lateral heat flow which reduces the thermal impedance.

#### REFERENCES

- [1] Y. K. Yong, S. O. R. Moheimani, B. J. Kenton, and K. K. Leang, "Invited review article: High-speed flexure-guided nanomanipulation: Mechanical design and control issues," *Review of Scientific Instruments*, vol. 83, no. 12, p. 121101, 2012.
- [2] A. A. Eijsen, J. T. Gravdahl, and K. Y. Pettersen, "Adaptive feed-forward hysteresis compensation for piezoelectric actuators," *Review of Scientific Instruments*, vol. 83, no. 8, p. 085001, 2012.
- [3] E. Guliyev, T. Michels, B. Volland, T. Ivanov, M. Hofer, and I. Rangelow, "High speed quasi-monolithic silicon/piezostack spm scanning stage," *Microelectronic Engineering*, vol. 98, no. 0, pp. 520 – 523, 2012.
- [4] A. J. Fleming, "Nanomanipulation system with force feedback for high-performance tracking and vibration control," *IEEE Transactions on Mechatronics*, vol. 15, no. 3, pp. 433–447, June 2010.
- [5] K. Uchino and J. R. Giniewica, *Micromechatronics*. New York: Marcel Dekker Inc., 2003.
- [6] Y. Zhang, G. Liu, and J. Hesselbach, "On development of a rotary linear actuator using piezoelectric translators," *IEEE/ASME Transactions on Mechatronics*, vol. 11, no. 5, pp. 647–650, October 2006.
- [7] P. Tenzer and R. Mrad, "A systematic procedure for the design of piezoelectric inchworm precision positioners," *IEEE/ASME Transactions on Mechatronics*, vol. 9, no. 2, pp. 427–435, June 2004.
- [8] R. Merry, N. de Kleijn, M. van de Molengraft, and M. Steinbuch, "Using a walking piezo actuator to drive and control a high-precision stage," *IEEE/ASME Transactions on Mechatronics*, vol. 14, no. 1, pp. 21–31, February 2009.
- [9] Y. Takeuchi, Y. Sakaida, K. Sawada, and T. Sata, "Development of a 5-axis control ultraprecision milling machine for micromachining based on non-friction servomechanisms," *CIRP Annals - Manufacturing Technology*, vol. 49, no. 1, pp. 295 – 298, 2000.
- [10] L. D. Mauck and C. S. Lynch, "Piezoelectric hydraulic pump development," *Journal of Intelligent Material Systems and Structures*, vol. 11, no. 10, pp. 758–764, 2000.
- [11] M. Robiony, F. Polini, F. Costa, N. Zerman, and M. Politi, "Ultrasonic bone cutting for surgically assisted rapid maxillary expansion (sarme) under local anaesthesia," *International Journal of Oral and Maxillofacial Surgery*, vol. 36, no. 3, pp. 267 – 269, 2007.
- [12] D. Mehlfeldt, H. Weckenmann, and G. Sthr, "Modeling of piezoelectrically actuated fuel injectors," *Mechatronics*, vol. 18, no. 56, pp. 264 – 272, 2008.
- [13] S. M. Salapaka and M. V. Salapaka, "Scanning probe microscopy," *IEEE Control Systems*, vol. 28, no. 2, pp. 65–83, April 2008.
- [14] G. Schitter, P. J. Thurner, and P. K. Hansma, "Design and input-shaping control of a novel scanner for high-speed atomic force microscopy," *Mechatronics*, vol. 18, no. 5-6, pp. 282–288, June 2008.
- [15] Y. K. Yong, A. J. Fleming, and S. O. R. Moheimani, "A novel piezoelectric strain sensor for simultaneous damping and tracking control of a high-speed nanomanipulator," *IEEE/ASME Transactions on Mechatronics*, 2012.
- [16] B. J. Kenton, A. J. Fleming, and K. K. Leang, "A compact ultra-fast vertical nanomanipulator for improving SPM scan speed," *Review of Scientific Instruments*, vol. 82, no. 12, pp. 123 703(1–8), 2011.

- [17] A. Preumont, *Mechatronics, Dynamics of electromechanical and piezoelectric systems*. Dordrecht, The Netherlands: Springer, 2006.
- [18] S. S. Aphale, A. J. Fleming, and S. O. R. Moheimani, "Integral control of resonant systems with collocated sensor-actuator pairs," *IOP Smart materials and Structures*, vol. 16, pp. 439–446, April 2007.
- [19] A. J. Fleming, "A method for measuring the resolution of nanopositioning systems," *Review of Scientific Instruments*, vol. 83, no. 8, p. 086101, 2012.
- [20] G. M. Clayton, S. Tien, K. K. Leang, Q. Zou, and S. Devasia, "A review of feedforward control approaches in nanopositioning for high-speed SPM," *Journal of Dynamic Systems, Measurement, and Control*, vol. 131, pp. 061101(1–19), November 2009.
- [21] K. K. Leang, Q. Zou, and S. Devasia, "Feedforward control of piezoactuators in atomic force microscope systems," *IEEE Control Systems*, vol. 29, no. 1, pp. 70–82, February 2009.
- [22] H. Jiang, H. Ji, J. Qiu, and Y. Chen, "A modified prandtl-ishlinskii model for modeling asymmetric hysteresis of piezoelectric actuators," *Ultrasonics, Ferroelectrics and Frequency Control, IEEE Transactions on*, vol. 57, no. 5, pp. 1200–1210, 2010.
- [23] D. Wang, Q. Yang, and H. Dong, "A monolithic compliant piezoelectric-driven microgripper: Design, modeling, and testing," *IEEE/ASME Transactions on Mechatronics*, vol. 18, no. 1, pp. 138–147, February 2013.
- [24] B. Edamana and K. Oldham, "Optimal low-power piezoelectric actuator control with charge recovery for a microrobotic leg," *IEEE/ASME Transactions on Mechatronics*, vol. 18, no. 1, pp. 251–262, February 2013.
- [25] R. Merry, M. Maassen, M. van de Molengraft, N. van de Wouw, and M. Steinbuch, "Modeling and waveform optimization of a nanomotion piezo stage," *IEEE/ASME Transactions on Mechatronics*, vol. 16, no. 4, pp. 615–626, August 2011.
- [26] F. Levinzon, "Ultra-low-noise seismic piezoelectric accelerometer with integral fet amplifier," *IEEE Sensors Journal*, vol. 12, no. 6, pp. 2262–2268, June 2012.
- [27] PiezoDrive, "PDU100 datasheet," [www.piezodrive.com](http://www.piezodrive.com), 2012.
- [28] H. J. M. T. A. Adriaens, W. L. de Koning, and R. Banning, "Modeling piezoelectric actuators," *IEEE/ASME Transactions on Mechatronics*, vol. 5, no. 4, pp. 331–341, December 2000.
- [29] A. F. Mills, *Heat Transfer*, 2nd ed. Prentice Hall, Inc., 1999.
- [30] M. Toda, T. Ono, F. Liu, and I. Voiculescu, "Evaluation of bimaterial cantilever beam for heat sensing at atmospheric pressure," *Review of Scientific Instruments*, vol. 81, no. 5, p. 055104, 2010.